## **Author-Title Index**

Agrawal P.C., see Paul B., et al. 319, 507

Alard C., see Leisy P., et al. 319, 725 (121, 407)

Alberdi A., see Lara L., et al. 319, 405

Alcalá J.M., Krautter J., Covino E., Neuhäuser R., Schmitt J.H.M.M., Wichmann R.: A study of the Chamaeleon star-forming region from the ROSAT All-Sky Survey. II. The pre-main sequence population 319, 184

Alcolea J., see Cernicharo J., et al. 319, 607 Allen C., see Schuster W.J. 319, 796

Aly J.J., Amari T.: Current sheets in two-dimensional potential magnetic fields. III. Formation in complex topology configurations and application to coronal heating 319, 699

Amado P.J., Byrne P.B.: Effect of chromospheric activity on the

mean colours of late-type stars 319, 967

Amari T., see Aly J.J. 319, 699

Ambrocio-Cruz P., Laval A., Marcelin M., Amram P.: High velocity motions inside the HII region N 103 of the Large Magellanic Cloud 319, 973

Amram P., see Ambrocio-Cruz P., et al. 319, 973

Andersen J., see Mermilliod J.-C., et al. 319, 481 Andreon S., Davoust E.: Structural classification of galaxies in

clusters 319, 747 Angelini L., see Parmar A.N., et al. 319, 855

Antonello E., Carcano P., Kanbur S.M.: On the masses and luminosities of double-mode Cepheids 319, 863

Arp H.: Identification of X-ray sources < 1° from Seyfert galaxies 319, 33

Aschenbach B., see Fürst E., et al. 319, 655

Ashok N.M., see Ragland S., et al. 319, 260

Aspin C., see Schwarz H.E., et al. 319, 267

Bachiller R., Fuente A., Bujarrabal V., Colomer F., Loup C., Omont A., de Jong T.: A survey of CN in circumstellar envelopes 319, 235

Badalyan O.G., Sýkora J.: Polarization of the green-line corona on July 11, 1991 solar eclipse 319, 664

Baev P.V., Spassova N., Staneva A.: The true shapes of the

globular clusters in M 31 319, 45 Baliyan K.S., see Joshi U.C., et al. 319, 694

Balucinska-Church M., see Piro L., et al. 319, 74

Barbuy B., see Ortolani S., et al. 319, 850

Bartelmann M., see Bartsch A., et al. 319, 375

Barthel P.D., see Hoekstra H., et al. 319, 757

Bartsch A., Schneider P., Bartelmann M.: Reanalysis of the association of high-redshift 1-Jansky quasars with IRAS galaxies 319, 375

Baudry A., see Cernicharo J., et al. 319, 607

Baykal A.: The torque and X-ray flux changes of OAO 1657-415 319, 515

Belloni T., Zampieri L., Campana S.: Search for old neutron stars in molecular clouds: Cygnus rift and Cygnus OB7 319,

Bellot Rubio L.R., Ruiz Cobo B., Collados M.: Erratum: Response functions for the inversion of data from unresolved solar magnetic elements 319, 1036

Bica E., see Ortolani S., et al. 319, 850

Böhm T., see Catala C., et al. 319, 176

Boissé P., see Thoraval S., et al. 319, 948 Bonev T., see Jockers K. 319, 617

Bonifacio P., see Molaro P., et al. 319, 593

Borissova J., Markov H., Spassova N.: CCD photometry of the globular cluster Palomar 13 319, 727 (121, 499)

Boselli A., Tuffs R.J., Gavazzi G., Hippelein H., Pierini D.: Near infrared surface photometry of late-type Virgo cluster galaxies 319, 727 (121, 507)

Bottinelli L., see Theureau G., et al. 319, 435

Bouyoucef K., Fraix-Burnet D., Roques S.: Interactive Deconvolution with Error Analysis (IDEA) in astronomical imaging: Application to aberrated HST images on SN 1987A, M 87 and 3C 66B 319, 727 (121, 575)

Brand J., see Wouterloot J.G.A., et al. 319, 360

Bréchignac P., see Moutou C., et al. 319, 331

Bretagnon P., Rocher P., Simon J.L.: Theory of the rotation of

the rigid Earth 319, 305
Brinkmann W., Yuan W., Siebert J.: Broad band energy distribution of ROSAT detected quasars. I. Radio-loud objects 319, 413

Brown A.G.A., Verschueren W.: High S/N Echelle spectroscopy in young stellar groups. II. Rotational velocities of early-type stars in Sco OB2 319, 811

Brusa G., see Ragazzoni R., et al. 319, 727 (121, 569) Bujarrabal V., see Bachiller R., et al. 319, 235

Buontempo M.E., see Piironen J., et al. 319, 726 (121, 489)

Burg R., see de Ruiter H.R., et al. 319, 7 Byrne P.B., see Amado P.J. 319, 967

Cabot H., see Enzian A., et al. 319, 995

Campana S., see Belloni T., et al. 319, 525

Carcano P., see Antonello E., et al. 319, 863

Carraro G., see Guarnieri M.D. 319, 725 (121, 451)

Castelli F., see Hack M., et al. 319, 637

Castelli F., see Molaro P., et al. **319**, 593 Catala C., Böhm T., Donati J.-F., Simon T., Jiang S., Zhao F.: Short-term variability of photospheric lines in the pre-main sequence Herbig Ae star AB Aurigae 319, 176

Cernicharo J., Alcolea J., Baudry A., González-Alfonso E.: SiO high velocity maser emission in O-rich evolved stars 319, Chadid M., Gillet D.: The Blazhko effect on line profiles in the variable star RR Lyrae 319, 154

Chandrasekhar T., see Ragland S., et al. 319, 260

Cheng Q.L., Xiong D.R.: Oscillations of the solar radial p-modes 319, 981

Chitre A., see Joshi U.C., et al. 319, 694

Chourdhuri A.R., Schüssler M., Dikpati M.: Erratum (Letter): The solar dynamo with meridional circulation 319, 362

Clavel J., see Recondo-González M.C., et al. 319, 726 (121,

Collados M., see Bellot Rubio L.R., et al. 319, 1036

Collin B., see Meunier N., et al. 319, 683

Collmar W., see Maisack M., et al. 319, 397

Colomer F., see Bachiller R., et al. 319, 235

Connerney J.E.P., see Dulk G.A., et al. 319, 282

Corradi R.L.M., see Schwarz H.E., et al. 319, 267

Covino E., see Alcalá J.M., et al. 319, 184

Cuisinier F., see Köppen J. 319, 98

Daming Chen, Guoxuan Song, Yougen Shen: The anisotropy of the cosmic background radiation due to mass clustering in a closed universe 319, 729

Davoust E., see Andreon S. 319, 747

Degl'Innocenti S., Weiss A., Leone L.: The level of agreement between theoretical and observed globular cluster luminosity functions 319, 487

Dennefeld M., see Leisy P., et al. 319, 725 (121, 407)

Deshpande M.R., see Joshi U.C., et al. 319, 694

de Freitas Pacheco J.A.: Age and metallicity effects in single stellar populations: application to M 31 clusters 319, 394

de Jong T., see Bachiller R., et al. 319, 235 de Ruiter H.R., Zamorani G., Parma P., Hasinger G., Hartner G., Trümper J., Burg R., Giacconi R., Schmidt M.: Deep radio observations of the "Lockman Hole" 319, 7

Di L., Sigalotti G., Klapp J.: Protostellar binary fragmentation: a comparison of results from two distinct second-order hydrodynamic codes 319, 547

Dikpati M., see Chourdhuri A.R., et al. 319, 362

Donati J.-F., see Catala C., et al. 319, 176

Dorfi E.A., see Höfner S. 319, 648

Downes D., see Reynaud D. 319, 737

Doyle J.G., see Gunn A.G., et al. 319, 211

Doyle J.G., see van den Oord G.H.J. 319, 578

Dreizler S., see Heber U., et al. 319, 363

Drira I., Huré J.M., Spielfiedel A., Feautrier N., Roueff E.: Infrared transitions probabilities and radiative opacity of SiO 319, 720

Dulk G.A., Leblanc Y., Sault R.J., Ladreiter H.P., Connerney J.E.P.: The radiation belts of Jupiter at 13 and 22 cm. II. The asymmetries and the magnetic field 319, 282

Dulk G.A., see Leblanc Y., et al. 319, 274

Duvert G., see Thoraval S., et al. 319, 948

Dyson J.E., see Hartquist T.W. 319, 589

Ekholm T., see Theureau G., et al. 319, 435

Ellinger Y., see Pauzat F., et al. 319, 318

Enzian A., Cabot H., Klinger J.: A 2 1/2 D thermodynamic model of cometary nuclei. I. Application to the activity of comet 29 P/Schwassmann-Wachmann 1 319, 995

Feautrier N., see Drira I., et al. 319, 720

Fendt C.: Collimated jet magnetospheres around rotating black holes. General relativistic force-free 2D equilibrium 319, 1025

Ferreira J.: Magnetically-driven jets from Keplerian accretion discs 319, 340

Fiegle K., see Wouterloot J.G.A., et al. 319, 360

Figueras F., see Gómez A.E., et al. 319, 881

Fink H., see Piro L., et al. 319, 74

Fiore F., see Piro L., et al. 319, 74

Fraix-Burnet D., see Bouyoucef K., et al. 319, 727 (121,

Frantsman J.: Faint carbon stars from the evolution of close binaries 319, 511

Fried J.W.: Faint galaxies around quasars at z = 1 and gravitational lensing of distant objects 319, 365

Fröhlich H.-E., see v. Rekowski M. 319, 225

Fuente A., see Bachiller R., et al. 319, 235

Fürst E., Reich W., Aschenbach B.: New radio and soft X-ray observations of the supernova remnant G 18.95-1.1 319,

Ganesh S., see Joshi U.C., et al. 319, 694

García-Burillo S., Guélin M., Neininger N.: A high-resolution <sup>12</sup>CO(1-0) study of the nucleus of NGC 5907. Observations and modelling 319, 450

Gavazzi G., see Boselli A., et al. 319, 727 (121, 507)

Gelbmann M., Kupka F., Weiss W.W., Mathys G.: Abundance analysis of roAp stars. II. HD 203932 319, 630

Giacconi R., see de Ruiter H.R., et al. 319, 7

Gillet D., see Chadid M. 319, 154

Gómez A.E., Luri X., Grenier S., Prévot L., Mennessier M.O., Figueras F., Torra J.: Absolute magnitudes and kinematics of barium stars 319, 881 Gonçalves A.C., see Véron P., et al. 319, 52

González-Alfonso E., see Cernicharo J., et al. 319, 607

Gouguenheim L., see Theureau G., et al. 319, 435

Grenier S., see Gómez A.E., et al. 319, 881

Groote D., Hunger K.: Fractionated stellar wind - the example of σ Orionis E 319, 250

Grosso N., see Meunier N., et al. 319, 673

Gu Q.S., Huang J.H., Su H.J., Shang Z.H.: New infrared Seyfert galaxies 319, 92

Guarnieri M.D., Carraro G.: VI photometry of the galactic cluster Berkeley 66 319, 725 (121, 451)

Guélin M., see García-Burillo S., et al. 319, 450

Guibert J., see Leisy P., et al. 319, 725 (121, 407)

Gunn A.G., Doyle J.G., Houdebine E.R.: Environments of active close binaries. II. GK Hydrae and TY Pyxidis 319,

Guoxuan Song, see Daming Chen, et al. 319, 729

Hack M., Polosukhina N.S., Malanushenko V.P., Castelli F.: The spectrum of β Coronae Borealis in the lithium region 319, 637

Hadrava P., see Harmanec P., et al. 319, 867

Hagen H.-J., see Heber U., et al. 319, 363

Hagen-Thorn V.A., Reshetnikov V.P.: IC 1689: S0 galaxy with inner polar disk 319, 430

Hansen P.C., see Larsen R.M. 319, 727 (121, 587)

Hanski M., see Theureau G., et al. 319, 435

Harmanec P., Hadrava P., Yang S., Holmgren D., North P., Koubský P., Kubát J., Poretti E.: Search for forced oscillations in binaries. I. The eclipsing and spectroscopic binary V 436 Persei = 1 Persei 319, 867

Hartner G., see de Ruiter H.R., et al. 319, 7

Hartquist T.W., Dyson J.E.: The origin of strong magnetic fields in circumstellar SiO masers 319, 589

Hasinger G., see de Ruiter H.R., et al. 319, 7

Hattori M., Watanabe K., Yamashita K.: Measurement of mass distribution of galaxy clusters using the giant luminous arc statistics with Le Fèvre et al.'s arc survey data 319, 764

Heber U., Dreizler S., Hagen H.-J.: Erratum (Letter): ON the hot ends of the white dwarf spectral sequences: Hot white dwarfs containing helium from the Hamburg-Schmidt survey 319, 363

Heber U., see Moehler S., et al. 319, 109

Heikkilä A., Johansson L.E.B., Olofsson H.: Observation of DCO<sup>+</sup> in the Large Magellanic Cloud **319**, L21

Hes R., see Hoekstra H., et al. 319, 757

Hilker M., see Kissler-Patig M., et al. 319, 470

Hippelein H., see Boselli A., et al. 319, 727 (121, 507)

Höfner S., Dorfi E.A.: Dust formation in winds of long-period variables. IV. Atmospheric dynamics and mass loss 319, 648

Hoekstra H., Barthel P.D., Hes R.: Beamed radio and far infrared emission in quasars and radio galaxies 319, 757

Holmgren D., see Harmanec P., et al. 319, 867 Hopp U., see Huchtmeier W.K., et al. 319, 67

Hopp U., see Huchtmeier W.K., et al. 319, 67 Horne K., see Schwope A.D., et al. 319, 894

Houdebine E.R., see Gunn A.G., et al. 319, 211

Huang J.H., see Gu Q.S., et al. 319, 92

Huchtmeier W.K.: An H1 survey of polar ring galaxies. II. The Effelsberg sample 319, 401

Huchtmeier W.K., Hopp U., Kuhn B.: HI observations of dwarf galaxies in voids 319, 67

Hunger K., see Groote D. 319, 250

Hunstead R.W., see Leblanc Y., et al. 319, 274

Huré J.M., see Drira I., et al. 319, 720

Hurley K., see Smith I.A., et al. 319, 923

Imai H., Shibata K.M., Sasao T., Miyoshi M., Kameya O., Omodaka T., Morimoto M., Iwata T., Suzuyama T., Mochizuki N., Miyaji T., Takeuti M.: Measurement of shifts in line-of-sight velocities of stellar water masers using VLBI 319, L1

Imamura K., Sofue Y.: Transition between atomic and molecular hydrogen in the Galaxy: vertical variation of the molecular fraction 319, 1

Infante L., see Kissler-Patig M., et al. 319, 470

Iwata T., see Imai H., et al. 319, L1

Janka H.-Th., see Ruffert M., et al. 319, 122

Jiang S., see Catala C., et al. 319, 176

Jockers K., Bonev T.: H<sub>2</sub>O<sup>+</sup>, CO<sup>+</sup>, and dust in Comet P/Swift-Tuttle **319**, 617

Johansson L.E.B., see Heikkilä A., et al. 319, L21

Jordan S., see Mürset U., et al. 319, 201

Jørgensen U.G., see Ulla A., et al. 319, 244

Joshi U.C., Baliyan K.S., Ganesh S., Chitre A., Vats H.O., Deshpande M.R.: A polarization study of comet Hyakutake (C/1996 B2) 319, 694

Junor W., see Lara L., et al. 319, 405

Kaluzny J.: CCD photometry of distant open clusters. III. Berkeley 18 319, 726 (121, 455)

Kameya O., see Imai H., et al. 319, L1

Kanbur S.M., see Antonello E., et al. 319, 863

Kharchenko N., Scholz R.-D., Lehmann I.: Membership and structural parameters of the globular cluster M 5 from Schmidt plates 319, 725 (121, 439)

Kipper T., see Ulla A., et al. 319, 244

Kissler-Patig M.: The dichotomy of early-type galaxies from their globular cluster systems 319, 83

Kissler-Patig M., Kohle S., Hilker M., Richtler T., Infante L., Quintana H.: Globular cluster systems of early-type galaxies in Fornax 319, 470

Klapp J., see Di L., et al. 319, 547

Klinger J., see Enzian A., et al. 319, 995

Köppen J., Cuisinier F.: The variation of abundances in planetary nebulae with height above the Galactic plane 319, 98

Kohle S., see Kissler-Patig M., et al. 319, 470

 Kolb U., Politano M.: The contribution of O-Ne-Mg novae to the <sup>26</sup>Al production in the Galaxy 319, 909
 Koubský P., see Harmanec P., et al. 319, 867

Krautter J., see Alcalá J.M., et al. 319, 184

Kubát J., see Harmanec P., et al. 319, 867

Kuczawska E., Włodarczyk K., Zola S.: Photometric observations of the nucleus of IC 418 319, 161

Kuhn B., see Huchtmeier W.K., et al. 319, 67

Kupka F., see Gelbmann M., et al. 319, 630 Kuulkers E., see Parmar A.N., et al. 319, 855

Ladreiter H.P., see Dulk G.A., et al. 319, 855

Lagerkvist C.-I., see Piironen J., et al. 319, 726 (121, 489)

Lagoute C., see Longaretti P.-Y. 319, 839

Lara L., Muxlow T.W.B., Alberdi A., Marcaide J.M., Junor W., Saikia D.J.: Radio observations of the quasar 3C395 from parsec to kiloparsec scales 319, 405

Larsen R.M., Hansen P.C.: Efficient implementations of the SOLA mollifier method 319, 727 (121, 587)

Laval A., see Ambrocio-Cruz P., et al. 319, 973

Leblanc Y., Dulk G.A., Sault R.J., Hunstead R.W.: The radiation belts of Jupiter at 13 and 22 cm. I. Observations and 3-D reconstruction 319, 274

Leblanc Y., see Dulk G.A., et al. 319, 282

Léger A., see Moutou C., et al. 319, 331

Lehmann I., see Kharchenko N., et al. 319, 725 (121, 439) Leisy P., Dennefeld M., Alard C., Guibert J.: Accurate positions and finding charts of known planetary nebulae in the Large Magellanic Cloud 319, 725 (121, 407)

Leone L., see Degl'Innocenti S., et al. 319, 487

Longaretti P.-Y., Lagoute C.: Rotating globular clusters. III. Evolutionary survey **319**, 839

Loup C., see Bachiller R., et al. 319, 235 Luri X., see Gómez A.E., et al. 319, 881

Magnusson P., see Piironen J., et al. 319, 881

Maisack M., Mannheim K., Collmar W.: Constraints on the 3–30 MeV emission of Seyfert galaxies 319, 397

Makino F., see Recondo-González M.C., et al. 319, 726 (121, 461)

Malanushenko V.P., see Hack M., et al. 319, 637

Manchanda R.K., see Paul B., et al. 319, 507 Mannheim K., see Maisack M., et al. 319, 397

Mantel K.-H., see Schwope A.D., et al. 319, 894

Marcaide J.M., see Lara L., et al. 319, 405

Marcelin M., see Ambrocio-Cruz P., et al. 319, 973 Marchetti E., see Ragazzoni R., et al. 319, 727 (121, 569)

Marchetti E., see Ragazzoni R., et al. 319, 727 (121, 569) Markov H., see Borissova J., et al. 319, 727 (121, 499)

Marsch E., Tu C.-Y.: The effects of high-frequency Alfvén waves on coronal heating and solar wind acceleration 319, L17

Mathys G., see Gelbmann M., et al. 319, 630 Matsuoka M., see Piro L., et al. 319, 74

Mayor M., see Mermilliod J.-C., et al. 319, 481

Mennessier M.O., see Gómez A.E., et al. 319, 881

Mermilliod J.-C., Andersen J., Mayor M.: Red giants in open clusters. VI. Orbits of ten spectroscopic binaries 319, 481

Mészáros A., Vanýsek V.: (RN) A possible observational test of the global inhomogeneity 319, 371

Meunier N., Nesme-Ribes E., Collin B.: Cycle 19 facula dynamics. II. Meridional circulation, rms velocity, and

Reynolds stresses 319, 683 Meunier N., Nesme-Ribes E., Grosso N.: Cycle 19 facula

dynamics. I. Angular rotation **319**, 673 Miller S., see Schild H., et al. **319**, 1037

Miyaji T., see Imai H., et al. 319, L1

Miyoshi M., see Imai H., et al. 319, L1

Mochizuki N., see Imai H., et al. 319, L1

Moehler S., Heber U., Rupprecht G.: Hot HB stars in globular clusters: physical parameters and consequences for theory. III. NGC 6752 and its long blue vertical branch 319, 109

Molaro P., Bonifacio P., Castelli F., Pasquini L.: New beryllium observations in low-metallicity stars 319, 593

Morimoto M., see Imai H., et al. 319, L1

Morrison L.V., see Piironen J., et al. 319, 726 (121, 489)

Moutou C., Verstraete L., Bréchignac P., Piccirillo S., Léger A.: Laser induced fluorescence spectroscopy of jet-cooled molecular species: a tool to identify diffuse interstellar band carriers 319, 331

Mürset U., Wolff B., Jordan S.: X-ray properties of symbiotic stars. II. Systems with colliding winds 319, 201

Murray C.D., see Winter O.C. 319, 290

Muxlow T.W.B., see Lara L., et al. 319, 405

Neininger N., see García-Burillo S., et al. 319, 450

Nesme-Ribes E., see Meunier N., et al. 319, 673

Nesme-Ribes E., see Meunier N., et al. 319, 683

Neuhäuser R., see Alcalá J.M., et al. 319, 184 North P., Paltani S.: *Erratum:* HD 37151: a new "slowly pulsating B star" **319**, 361

North P., see Harmanec P., et al. 319, 867

Nussbaumer H., see Schwank M., et al. 319, 166

Olofsson H., see Heikkilä A., et al. 319, L21

Omodaka T., see Imai H., et al. 319, L1 Omont A., see Bachiller R., et al. 319, 235

Ortolani S., Barbuy B., Bica E.: High quality seeing V, I, and Gunn z imaging of Terzan 4: a blue horizontal branch bulge globular cluster 319, 850

Paltani S., see North P. 319, 361

Parma P., see de Ruiter H.R., et al. 319, 7

Parmar A.N., Williams O.R., Kuulkers E., Angelini L., White N.E.: Archival observations of the ultra-soft X-ray transient 4U 1630-47 319, 855

Pasquini L., see Molaro P., et al. 319, 593

Paturel G., see Theureau G., et al. 319, 435

Paul B., Agrawal P.C., Rao A.R., Manchanda R.K.: A double peaked pulse profile observed in GX 1+4 319, 507

Pauzat F., Talbi D., Ellinger Y.: The PAH hypothesis: a computational experiment on the combined effects of ionization and dehydrogenation on the IR signatures 319, 318

Perola G.C., see Piro L., et al. 319, 74

Perrin G.: Correction of the "piston effect" in optical astronomical interferometry. I. Modulus and phase gradient of the visibility function restoration 319, 727 (121, 553)

Pešek I., see Vondrák J., et al. 319, 1020 Piccirillo S., see Moutou C., et al. 319, 331

Pierini D., see Boselli A., et al. 319, 727 (121, 507)

Pietsch W., see Vogler A. 319, 459

Piironen J., Magnusson P., Lagerkvist C.-I., Williams I.P., Buontempo M.E., Morrison L.V.: Physical studies of asteroids. XXXI. Asteroid photometric observations with the Carlsberg Automatic Meridian Circle 319, 726 (121, 489)

Piro L., Balucinska-Church M., Fink H., Fiore F., Matsuoka M., Perola G.C., Soffitta P.: The ultraviolet to X-ray spectrum of the Seyfert 1 galaxy E 1615+061: accretion disk and reflection models  ${\bf 319},\,74$ 

Politano M., see Kolb U. 319, 909

Polosukhina N.S., see Hack M., et al. 319, 637

Poretti E., see Harmanec P., et al. 319, 867

Prévot L., see Gómez A.E., et al. 319, 881

Prieto C.: Micrometer measurements of southern double stars made at the Observatory of Llano del Hato at Merida (Venezuela) 319, 725 (121, 405)

Prins S., van der Klis M.: Correlated X-ray spectral and fast-timing behaviour of 4U 1636-53 319, 498

Quintana H., see Kissler-Patig M., et al. 319, 470

Radecke H.-D.: X-ray sources < 1 degree from Seyfert galaxies 319, 18

Ragazzoni R.: Robust tilt determination from Laser Guide Stars using a combination of different techniques 319, L9

Ragazzoni R., Marchetti E., Brusa G.: The effective layer height for star wandering and the accuracy of tilt sensing in

multicolour laser stars 319, 727 (121, 569)
Ragland S., Chandrasekhar T., Ashok N.M.: Detection of circumstellar dust shell around the supergiant TV Geminorum milliarcsecond resolution near-infrared observations 319, 260

Rao A.R., see Paul B., et al. 319, 507 Recondo-González M.C., Wamsteker W., Clavel J., Rodríguez-Pascual P.M., Vio R., Wang Ting-gui, Santos-Lleó M., Makino F.: Ultraviolet variability of the Seyfert 1 galaxy Fairall 9 319, 726 (121, 461)

Reich W., see Fürst E., et al. 319, 655

Reipurth B., see Schwarz H.E., et al. 319, 267

Reshetnikov V.P., see Hagen-Thorn V.A. 319, 430

Reynaud D., Downes D.: Shocks and ring in the barred spiral galaxy NGC 1530 319, 737

Richtler T., see Kissler-Patig M., et al. 319, 470

Rocher P., see Bretagnon P., et al. 319, 305

Rodríguez-Pascual P.M., see Recondo-González M.C., et al. 319, 726 (121, 461)

Ron C., see Vondrák J., et al. 319, 1020

Roques S., see Bouyoucef K., et al. 319, 727 (121, 575)

Roueff E., see Drira I., et al. 319, 720

Rüdiger G., Schultz M.: Nonlinear galactic dynamo models with magnetic-supported interstellar gas-density stratification 319, 781

Ruffert M., Janka H.-Th., Takahashi K., Schäfer G.: Coalescing neutron stars - a step towards physical models. II. Neutrino emission, neutron tori, and gamma-ray bursts 319, 122

Ruiz Cobo B., see Bellot Rubio L.R., et al. 319, 1036

Rupprecht G., see Moehler S., et al. 319, 109

Russeil D.: Ha detection of a clump of distant H II regions in the Milky Way 319, 788

Ruzmaikin A.: On the origin of sunspots 319, L13

Saikia D.J., see Lara L., et al. 319, 405

Santos-Lleó M., see Recondo-González M.C., et al. 319, 726

Sasao T., see Imai H., et al. 319, L1

Sault R.J., see Dulk G.A., et al. 319, 282 Sault R.J., see Leblanc Y., et al. 319, 274

Schäfer G., see Ruffert M., et al. 319, 122

Schild H., Miller S., Tennyson J.: Erratum: The H2 structure of OMC-1 319, 1037

Schlickeiser R.:  $\gamma$ -ray evidence for galactic in-situ electron acceleration 319, L5

Schmidt M., see de Ruiter H.R., et al. 319, 7

Schmitt J.H.M.M., see Alcalá J.M., et al. 319, 184

Schmutz W., see Schwank M., et al. 319, 166

Schneider P., see Bartsch A., et al. 319, 375

Scholz R.-D., see Kharchenko N., et al. 319, 725 (121, 439)

Schüssler M., see Chourdhuri A.R., et al. 319, 362

Schultz A.S.B., see Smith I.A., et al. 319, 923

Schultz M., see Rüdiger G. 319, 781

Schuster W.J., Allen C.: uvby-β photometry of high-velocity and metal-poor stars. IX. Effects of orbital chaos in the Galactic halo 319, 796

Schwank M., Schmutz W., Nussbaumer H.: Irradiated red giant atmospheres in S-type symbiotic stars 319, 166

Schwarz H.E., Aspin C., Corradi R.L.M., Reipurth B.: M 2-9: moving dust in a fast bipolar outflow 319, 267

Schwope A.D., Mantel K.-H., Horne K.: Phase-resoived high-resolution spectrophotometry of the eclipsing polar HU Aquarii 319, 894

Shang Z.H., see Gu Q.S., et al. 319, 92

Shibata K.M., see Imai H., et al. 319, L1

Siebert J., see Brinkmann W., et al. 319, 413

Sigalotti G., see Di L., et al. 319, 547

Simon J.L., see Bretagnon P., et al. 319, 305

Simon T., see Catala C., et al. 319, 176

Simon V.: On the character of the orbital period changes in the interacting binary RW Tauri 319, 886

Smith I.A., Schultz A.S.B., Hurley K., van Paradijs J., Waters L.B.F.M.: JCMT observations of Soft Gamma-Ray Repeaters 319, 923

Smith K.C.: Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. V. Mercury 319, 928

Soffitta P., see Piro L., et al. 319, 74

Spassova N., see Baev P.V., et al. 319, 45

Spassova N., see Borissova J., et al. 319, 727 (121, 499)

Spielfiedel A., see Drira I., et al. 319, 720 Staneva A., see Baev P.V., et al. 319, 45

Stellmacher G., Wiehr E.: The helium singlet-to-triplet line ratio in solar prominences 319, 669

Stepinski T.F., Valageas P.: Global evolution of solid matter in turbulent protoplanetary disks. II. Development of icy planetesimals **319**, 1007

Strassmeier K.G.: Doppler imaging of stellar surface structure. III. The X-ray source HD 116544 = IN Virginis 319, 535

Su H.J., see Gu Q.S., et al. 319, 92

Suzuyama T., see Imai H., et al. 319, L1 Sýkora J., see Badalyan O.G. 319, 664

Takahashi K., see Ruffert M., et al. 319, 122

Takeuti M., see Imai H., et al. 319, L1

Talbi D., see Pauzat F., et al. 319, 318

Teerikorpi P., see Theureau G., et al. 319, 435

Tennyson J., see Schild H., et al. 319, 1037

Theill P., see Ulla A., et al. 319, 244

Theureau G., Hanski M., Teerikorpi P., Bottinelli L., Ekholm T., Gouguenheim L., Paturel G.: Kinematics of the local universe. IV. Type dependence in the diameter Tully-Fisher relation and implications on the mass-luminosity structure 319, 435

Thoraval S., Boissé P., Duvert G.: Magnitude and color distribution of background stars as a probe of small-scale structure in the spatial distribution of interstellar dust 319, 948

Torra J., see Gómez A.E., et al. 319, 881

Trümper J., see de Ruiter H.R., et al. 319, 7

Tu C.-Y., see Marsch E. 319, L17

Tuffs R.J., see Boselli A., et al. 319, 727 (121, 507)

Ulla A., Thejll P., Kipper T., Jørgensen U.G.: Infrared observations of peculiar carbon stars 319, 244
Valageas P., see Stepinski T.F. 319, 1007

Vanýsek V., see Mészáros A. 319, 371

van den Oord G.H.J., Doyle J.G.: Constraints on mass loss from dMe stars: theory and observations 319, 578

van der Klis M., see Prins S. 319, 498

van Paradijs J., see Smith I.A., et al. 319, 923

van Teeseling A.: An eclipse in the X-ray flux from the dwarf nova Z Cha 319, L25

van Winckel H.: Chemical composition of optically bright post-AGB stars 319, 561

Vats H.O., see Joshi U.C., et al. 319, 694

Véron P., Gonçalves A.C., Véron-Cetty M.-P.: AGNs with composite spectra 319, 52

Véron-Cetty M.-P., see Véron P., et al. 319, 52 Verschueren W., see Brown A.G.A. 319, 811

Verstraete L., see Moutou C., et al. 319, 331

Vio R., see Recondo-González M.C., et al. 319, 726 (121, 461)

Vogler A., Pietsch W.: X-ray observations of the Magellanic-type Galaxy NGC 4449 319, 459

Vondrák J., Ron C., Pešek I.: Using the Earth orientation parameters to link the Hipparcos and VLBI reference frames 319, 1020

 Rekowski M., Fröhlich H.-E.: Accretion disk boundary layers in classical T Tauri stars 319, 225

Wamsteker W., see Recondo-González M.C., et al. 319, 726 (121, 461)

Wang Ting-gui, see Recondo-González M.C., et al. **319**, 726 (121, 461)

Watanabe K., see Hattori M., et al. 319, 764

Waters L.B.F.M., see Smith I.A., et al. 319, 923

Weiss A., see Degl'Innocenti S., et al. 319, 487 Weiss W.W., see Gelbmann M., et al. 319, 630

White N.E., see Parmar A.N., et al. 319, 855

Wichmann R., see Alcalá J.M., et al. 319, 184

Wiehr E., see Stellmacher G. 319, 669

Williams I.P., see Piironen J., et al. 319, 726 (121, 489)

Williams O.R., see Parmar A.N., et al. 319, 855

Winnewisser G., see Wouterloot J.G.A., et al. 319, 360

Winter O.C., Murray C.D.: Resonance and chaos. I. First-order interior resonances 319, 290

Wlodarczyk K., see Kuczawska E., et al. 319, 161

Wolff B., see Mürset U., et al. 319, 201

Wouterloot J.G.A., Fiegle K., Brand J., Winnewisser G.: Erratum: IRAS sources beyond the solar circle. VI. Analysis of the FIR, H<sub>2</sub>O, and CO emission 319, 360

Xiong D.R., see Cheng Q.L. 319, 981

Yamashita K., see Hattori M., et al. 319, 76

Yang S., see Harmanec P., et al. 319, 867

Yougen Shen, see Daming Chen, et al. 319, 729

Yuan W., see Brinkmann W., et al. 319, 413

Zamorani G., see de Ruiter H.R., et al. 319, 7

Zampieri L., see Belloni T., et al. 319, 525

Zhao F., see Catala C., et al. 319, 176

Zola S., see Kuczawska E., et al. 319, 161